

RXTS-Series Window Air Conditioner

Models

RXTS-81A

RXTS-101A

RXTS-121A

Safe. Quiet. Efficient.

The RXTS-Series Window Air Conditioner is an evolution in design and features, providing more security, quieter operation, and better efficiency.


The revolutionary “U” shape allows the window sash to close through the chassis, effectively separating the compressor portion of the air conditioner and locking the noisy outside world away from your peace and quiet. This innovative “U” shape design feature provides more security than typical window air conditioners with plastic accordion-style wings.

FEATURES

- **The RXTS-Series** limits the opening necessary to have air conditioning – allowing more visibility and less potential access.
- **The RXTS-Series** also locks the sash in place once it is lowered into the air conditioner with an anti-theft mechanism.
- **A sturdy window bracket** (included) allows the window to open-and-close while the air conditioner stays secure – providing the ability to allow fresh air into your home anytime.



scan here
to view video



42

dB

The window blocks
the noise outside

70dB

60dB

42dB

40dB

STREET

HOME

RXTS

LIBRARY

Comfort-Aire[®]

Warranty

1 Year Unit Replacement Warranty*

*For details, visit www.comfort-aire.com

Safe. Quiet. Efficient.

RXTS-Series Window Air Conditioner



RXTS-81A

SPECIFICATIONS

BTUH	8,000
Voltage	115V
Energy Star®	Yes
Input Watts/Amps	720 / 8.78
24 Hour On/Off Timer	Yes
Electronic Controls	Yes
Fan Speeds	3
Sound Level (dBA) (Hi/Mi/Lo)	47/40/33
Low Temp Operation	60
Auto Restart	Yes
Dimension (inches) W x D x H	19.17x21.97x13.46
Net Weight (lbs.)	55.56
Ship Wt lbs.	68.12

RXTS-101A

SPECIFICATIONS

BTUH	10,000
Voltage	115V
Energy Star®	Yes
Input Watts/Amps	890 / 9.97
24 Hour On/Off Timer	Yes
Electronic Controls	Yes
Fan Speeds	3
Sound Level (dBA) (Hi/Mi/Lo)	51/44/36
Low Temp Operation	60
Auto Restart	Yes
Dimension (inches) W x D x H	19.17x21.97x13.46
Net Weight (lbs.)	56.88
Ship Wt lbs.	69.22

RXTS-121A

SPECIFICATIONS

BTUH	12,000
Voltage	115V
Energy Star®	Yes
Input Watts/Amps	1140 / 12.17
24 Hour On/Off Timer	Yes
Electronic Controls	Yes
Fan Speeds	3
Sound Level (dBA) (Hi/Mi/Lo)	52/45/39
Low Temp Operation	60
Auto Restart	Yes
Dimension (inches) W x D x H	19.17x21.97x13.46
Net Weight (lbs.)	58.86
Ship Wt lbs.	70.77



More Efficiency - Less Noise.

Achieve more than 35% energy savings over typical window air conditioners with the advanced DC inverter technology present in **The RXTS-Series**. Inverter compressor operation allows air conditioners to run at lower RPM's, using less power and creating less noise. **The RXTS** Window Air Conditioners can operate as low as 42 dBA – almost as quiet as a library – to provide idyllic, peaceful comfort.

Control your comfort from anywhere in the world: **The RXTS-Series** boasts smartphone capability, allowing iOS or Android devices to enable operation remotely – even use voice commands through Alexa or Google Assistant!

Breathe Fresh Air!

Innovative “U” shape and included bracket allows the window to be opened fully during times when AC is installed. Enjoy fresh air and a clear view anytime!



Fast Cooling

Quiet but powerful blower moves air efficiently while the inverter compressor can ramp up to full capacity quickly to cool your area fast.



Over 35% Energy Savings*

Inverter compressor technology keeps the system running at peak efficiency. This can mean up to 35% energy savings over traditional window air conditioners.




Smart Control

It works with Google Assistant and Alexa. It is also smartphone compatible and can be controlled from anywhere through the cloud using an app on iOS or Android.

RXTS-Series Sizing Chart		
350 sq. ft.	450 sq. ft.	550 sq. ft.
RXTS-81A 8,000 BTU	RXTS-101A 10,000 BTU	RXTS-121A 12,000 BTU

RXTS-Series Window Air Conditioner

Guide to Window Opening Sizes



*Verify the size of your window opening.
The opening should fall in the range
shown in the diagram*

Table/Pedestal Display



Part # 8375
26"W x 22"D & is 62-1/2" H



Robust Installation

The included bracket improves the unit support beyond what a traditional window AC can offer. The innovative "U" shape design allows the window to open and close and the unit to remain secure. The window is secured by an anti-theft mechanism while closed.

"This product complies with all California product labeling laws including, but not limited to, the Safe Drinking Water and Toxic Enforcement Act of 1986, more commonly known as Proposition 65."

Due to ongoing product improvements, specifications and dimensions are subject to change and correction without notice or incurring obligations. Determining the application and suitability for use of any product is the responsibility of the installer. Additionally, the installer is responsible for verifying dimensional data on the actual product prior to beginning any installation preparations.

Third party incentive and rebate programs have precise requirements as to product performance and certification. All products meet applicable regulations in effect on date of manufacture; however, certifications are not necessarily granted for the life of a product. Therefore, it is the responsibility of the applicant to determine whether a specific model qualifies for these incentive/rebate programs.